

# Problems Faced by Lateral Entry Students Using Fuzzy Cognitive Maps (FCMS)

A. Praveenprakash<sup>1</sup>, N. Vanathi<sup>2</sup>, M. Goudhaman<sup>3</sup>, Kanimozhiraman<sup>4</sup>

**Abstract:** Thousands of students are opting for technical education and joining Engineering colleges every year across the country. Encouragingly, number of students selecting the Engineering course is in uptrend. One category of engineering students' complete diploma courses and join the second year of Engineering graduate program as Lateral Entry Students (LES) in their respective stream of studies. These students are more skilled and exposed to practical aspects of their engineering discipline. But many are not used to listen and write examinations in English though the medium of instruction for them in Polytechnics is English since they are allowed to write the examinations in Tamil. They do not study eleventh and twelfth standards and I year of Engineering Course. Hence they miss the Mathematics portions taught in these classes. Many topics taught in the second year Mathematics is based on the topics taught in XI, XII std and first year of BE. For some students, exposure to English medium at college is a big challenge especially if they are from Tamil medium. Many of them cope up in due course, even though they struggle initially. In this paper, the problems faced by lateral entry students in engineering colleges is analysed and its solution is found using Fuzzy Cognitive Maps. In 1965, L.A. Zadeh has introduced a mathematical model called Fuzzy Cognitive Maps. After a decade, in the year 1976, Political scientist R. Axelord [1] used this fuzzy model to study decision making in social and political system. Fuzzy Cognitive Maps (FCMs) is a power full tool, which is used in numerous fields such as social, economical, medical etc. Fuzzy Cognitive Maps are more applicable when the data in the first place is an unsupervised one. This paper is organized with the following four sections: Section one gives the information about development of Fuzzy Cognitive Map. Section two gives the preliminaries of FCM. Section three gives the description of the problem and the final section gives the conclusion based on our study.

**Key words:** Cognitive maps, FCM, LES students

## 1. INTRODUCTION

B. Kosko [2], [3] enhanced the power of cognitive maps considering fuzzy values for the concepts of the cognitive map and fuzzy degrees of interrelationships between concepts. FCM can successfully represent knowledge and human experience, introduce concepts to represent the essential elements and the cause & effect system. More over, the data is unsupervised one and also there is uncertainty in the concepts. Hence Fuzzy tool alone has the capacity to analyze these concepts. Hence it is chosen here.

## 2. PRELIMINARIES

Fuzzy Cognitive Maps (FCMs) are more applicable when the data in the first place is an unsupervised one. The FCMs work on the opinion of experts. FCMs model the world as a collection of classes and casual relations between classes.

**2.1 Definition :** FCMs is a directed graph with concepts like policies, events, etc, as nodes and causalities as edges. It represents casual relationship between concepts.

**2.2 Definition :** When the nodes of the FCM are fuzzy sets then they are called as fuzzy nodes.

**2.3 Definition :** FCMs with edge weights or causalities from the set  $\{-1, 0, 1\}$  are called simple FCMs.

**2.4 Definition :** The edges  $e_{ij}$  take values in the fuzzy casual interval  $[-1, 1]$ .  $e_{ij} = 0$  indicates no causalities.  $e_{ij} > 0$  indicates causal increase  $C_j$  increases as  $C_i$  increases (or  $C_j$  decreases as  $C_i$  decreases)  $e_{ij} < 0$  indicates casual decrease (or negative causality),  $C_j$  decreases as  $C_i$  increases (or  $C_j$  increases as  $C_i$  decreases). Simple FCMs have edge values in  $\{-1, 0, 1\}$ . Then if causalities occur, it occurs to a maximal positive or negative degree. Simple FCMs provide a quick first approximation to an expert is stand or printed causal knowledge. If increase (or decrease) in one concept leads to increase (or decrease) in another, then we give the value 1; If there exists no relation between the two concepts, the value 0 is given, If increase (or decrease) in one concept leads to decrease (or increase) in another, then we give the value -1. Thus FCMs are described in this way. Consider the concepts  $C_1, C_2, \dots, C_n$  of the FCM, Suppose the directed graph is drawn using edge weight  $e_{ij} \in \{-1, 0, 1\}$ . The matrix  $E$  be defined by  $E = (e_{ij})$ , where  $e_{ij}$  is the weight of the directed edge  $C_i C_j$ .  $E$  is called the adjacency matrix of the FCM, also known as the connection matrix of the FCM. It is important to note that all matrices associated with an FCM are always square matrices with diagonal entries as zero.

**2.5 Definition:** Let  $C_1, C_2, \dots, C_n$  be the nodes of an FCM. Let  $A = (a_1, a_2, \dots, a_n)$ , where  $a_i \in \{0,1\}$ .  $A$  is called the instantaneous state vector and it denotes the on-off position of the node at an instant.

$a_i = 0$  if  $a_i$  is off ,

$a_i = 1$  if  $a_i$  is on, where  $i = 1, 2, \dots, n$ .

**2.6 Definition:** Let  $C_1, C_2, \dots, C_n$  be the nodes of an FCM. Let  $C_1C_2, C_2C_3, \dots, C_iC_j$ , be the edges of the FCM ( $i \rightarrow j$ ). Then, the edges form a directed cycle. An FCM is said to be cyclic if it possesses a directed cycle. An FCM is said to be acyclic if it does not possess any directed cycle.

**2.7 Definition:** An FCM with cycles is said to have a feedback.

**2.8 Definition:** When there is a feedback in an FCM, i.e., when the causal relations flow through a cycle in a revolutionary way, the FCM is called a dynamical system.

**2.9 Definition:** Let  $C_1 \rightarrow C_2 \rightarrow C_3 \rightarrow \dots \rightarrow C_i \rightarrow C_j$ , be a cycle. When  $C_i$  is switched on and if the causality flows through the edges of a cycle and if it again causes  $C_i$ , we say that the dynamical system goes round and round. This is true for any node  $C_i$ , for  $i = 1, 2, \dots, n$ . The equilibrium state for this dynamical system is called the hidden pattern.

**2.10 Definition:** If the equilibrium state of a dynamical system is a unique state vector, then it is called a fixed point. Consider a FCM with  $C_1, C_2, \dots, C_n$  as nodes. For example let us start the dynamical system by switching on  $C_1$ . Let us assume that the FCM settles down with  $C_1$  and  $C_n$  on , i.e. The state vector remains as  $(1, 0, 0, \dots, 0, 1)$ . This state vector  $(1, 0, 0, \dots, 0, 1)$  is called the fixed point.

**2.11 Definition:**

If the FCM settles down with a state vector repeating in the form  $A_1 \rightarrow A_2 \rightarrow \dots \rightarrow A_i \rightarrow A_1$ , then this equilibrium is called limit cycle.

**METHOD OF DETERMINING THE HIDDEN PATTERN**

Let  $C_1, C_2, \dots, C_n$  be the nodes of an FCM, with feedback. Let  $E$  be the associated adjacency matrix. Let us find the hidden pattern when  $C_1$  is switched on. When an input is given as the vector  $A_1 = (1, 0, 0, \dots, 0)$ , the data should pass through the relation matrix  $E$ . This is done by multiplying  $A_1$  by the matrix  $E$ . Let  $A_1E = (a_1, a_2, \dots, a_n)$  with the threshold operation that is by replacing  $a_i$  by 1 if  $a_i > k$  and  $a_i$  by 0 if


$a_i < k$  ( $k$  is a suitable positive integer). We update the resulting concept, the concept  $C_1$  is included in the updated vector by

making the first coordinate as 1 in the resulting vector. Suppose  $A_1E \rightarrow A_2$  then consider  $A_2E$  and repeat the same procedure. This procedure is repeated till we get a limit cycle or a fixed point.

**3. DESCRIPTION OF PROBLEM**

Using the linguistic questionnaire and the expert’s opinion we have taken the following ten concepts  $\{C_1, C_2, \dots, C_9\}$ . The following concepts are taken as the main nodes for our problem.

- $C_1$  - Late admission
- $C_2$  - Poor in Mathematics
- $C_3$  - Less Communication
- $C_4$  - Treated in differently by class mates and teachers.
- $C_5$  - Having break in studies
- $C_6$  - Getting more arrears
- $C_7$  - Not getting enough time to prepare
- $C_8$  - Tension
- $C_9$  - Frustration



The matrix associated with the above graph is

$$A = \begin{bmatrix} 0 & 1 & 0 & 1 & 0 & 1 & 1 & 1 & 1 \\ 0 & 0 & 0 & 0 & 0 & 1 & 0 & 1 & 1 \\ 0 & 0 & 0 & 1 & 0 & 0 & 0 & 1 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 1 \\ 0 & 0 & 0 & 1 & 0 & 1 & 0 & 1 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 1 \\ 0 & 0 & 0 & 0 & 0 & 1 & 0 & 1 & 1 \\ 0 & 0 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 & 0 \end{bmatrix}$$

Suppose we consider the ON state of the attribute “late admission” and all other states are off the effect of

$$X = (1 \ 0 \ 0 \ 0 \ 0 \ 0 \ 0 \ 0 \ 0)_{\text{on A is given by}}$$

$$A X = (0 \ 1 \ 0 \ 1 \ 0 \ 1 \ 1 \ 1 \ 1)$$

$$\rightarrow (1 \ 1 \ 0 \ 1 \ 0 \ 1 \ 1 \ 1 \ 1) = X_1$$

$$A X_1 = (0 \ 1 \ 0 \ 1 \ 0 \ 5 \ 1 \ 6 \ 5)$$

$$\rightarrow (1 \ 1 \ 0 \ 1 \ 0 \ 1 \ 1 \ 1 \ 1) = X_2$$

$$X_2 = X_1$$

(Where  $\rightarrow$  denotes the resultant vector is thresholding and updating)

$X_1$  is a fixed point of the dynamical system.

#### 4. CONCLUSION

When  $C_1$  is ON we are getting the remaining nodes  $C_2, C_4, C_6, C_7, C_8, C_9$  are in ON condition. Because of late admission they are facing the remaining problems poor in mathematics,

treated in differently, getting more arrears, not getting enough time to prepare, tension and frustration. Once if they have a plan to join engineering degree after their diploma they have to improve their communication and mathematical skills in their vacation itself.

#### 5. REFERENCES

- [1] Axelrod, R. (1976). Structure of decision: The cognitive maps of political elites. Princeton, NJ: Princeton University Press.
- [2] Kosko, B. "Fuzzy Cognitive Maps", International Journal of man-machine studies, January, (1986), 62-75.
- [3] Kosko, B., Neural Networks and Fuzzy Systems: A Dynamical Systems Approach to Machine Intelligence, Prentice Hall of India, 1997.
- [4] Kosko, B., "Hidden patterns in combined and Adaptive Knowledge Networks", Proc. of the First, *IEE International conference on Neural Networks* (ICNN-86(1988)377-393).
- [5] Lian-Hua Chen "Violent Scene Detection Movies": World Scientific Journal.
- [6] Vasantha Kandasamy, W.B., and S. Uma, Combined Fuzzy Cognitive Map of Socio-Economic Model, Appl. Sci. Periodical, 2 25-27 (2000).

\* \* \*

<sup>1</sup>A.Praveen Prakash, Professor in Mathematic, Hindustan University, Chennai, apraveenprakash@gmail.com.

<sup>2</sup>N.Vanathi, Assistant Professor (sr.scale), KCG College of Technology, Chennai, vanathi\_29@yahoo.co.in

<sup>3</sup>M.Goudhaman, Assistant Professor (sr.scale), Saveetha Engineering College, Chennai, gouth74@yahoo.com.

<sup>4</sup>Kanimozhi Raman, Assistant Professor (sr.scale), KCG College of Technology, Chennai, kanimozhiraman@yahoo.co.in